



Valor Peptides
support@valorpeptides.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

SELANK
6GVL-VMPL
04/27/2026
05/09/2026



DECLARED IDENTITY: Selank
MATRIX TYPE: PEPTIDE
SAMPLE NAME: SELANK
SAMPLE SIZE: 10.0 mg
LOT CODE: ARC-SL10-001




16.59 mg
Total Quantity



99.63%
Total Blend Purity

Sample	Test	Specification	Result	Status
Selank	IDENTITY	Selank	Selank	CONFORMS
Selank	QUANTITY	MEASURE	16.59 mg	MEASURED
Selank	PURITY	> 98.0%	99.63%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
05/09/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
05/09/2026

ACCUMARKLABS.COM
6GVL-VMPL
05/09/2026





Valor Peptides
support@valorpeptides.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

SELANK
6GVL-VMPL
04/27/2026
05/09/2026

Sample	Test	Specification	Result	Status
Selank	Endotoxin (LAL)	< 5.0 EU/mL	Pass	CONFORMS
Selank	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
05/09/2026


Dr. Levi Fried MD
Lab Director
05/09/2026

ACCUMARKLABS.COM
6GVL-VMPL
05/09/2026

