



NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

MT-I
S9XU-6744
06/26/2026
07/02/2026



DECLARED IDENTITY: Melanotan I
MATRIX TYPE: PEPTIDE
SAMPLE NAME: MT-I
SAMPLE SIZE: 10.0 mg
LOT CODE: ARC-MT1-10-003




12.22 mg
Total Quantity



99.855%
Total Blend Purity

Sample	Test	Specification	Result	Status
Melanotan I	IDENTITY	Melanotan I	Melanotan I	CONFORMS
Melanotan I	QUANTITY	MEASURE	12.22 mg	MEASURED
Melanotan I	PURITY	> 98.0%	99.855%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
07/02/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
07/02/2026

ACCUMARKLABS.COM
S9XU-6744
07/02/2026





NxGen Bio Med
support@nxgenbiomedical.com

SAMPLE NAME: MT-I
SAMPLE CODE: S9XU-6744
RECEIVED DATE: 06/26/2026
PUBLISHED DATE: 07/02/2026

Sample	Test	Specification	Result	Status
Melanotan I	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Melanotan I	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
07/02/2026

RESULTS CERTIFIED BY:


Dr. Levi Fried MD
Lab Director
07/02/2026

ACCUMARKLABS.COM
S9XU-6744
07/02/2026

