



Valor Peptides
support@valorpeptides.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

SELANK
6KN6-2ER9
07/13/2026
07/15/2026



DECLARED IDENTITY	Selank
MATRIX TYPE:	PEPTIDE
SAMPLE NAME:	SELANK
SAMPLE SIZE:	10.0 mg
LOT CODE:	ARC-SL10-006




14.75 mg
Total Quantity



99.549%
Total Blend Purity

Sample	Test	Specification	Result	Status
Selank	IDENTITY	Selank	Selank	CONFORMS
Selank	QUANTITY	MEASURE	14.75 mg	MEASURED
Selank	PURITY	> 98.0%	99.549%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
07/15/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
07/15/2026

ACCUMARKLABS.COM
6KN6-2ER9
07/15/2026





Valor Peptides
support@valorpeptides.com

SAMPLE NAME:
SAMPLE CODE:
RECEIVED DATE:
PUBLISHED DATE:

SELANK
6KN6-2ER9
07/13/2026
07/15/2026

Sample	Test	Specification	Result	Status
Selank	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Selank	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
07/15/2026


Dr. Levi Fried MD
Lab Director
07/15/2026

ACCUMARKLABS.COM
6KN6-2ER9
07/15/2026

